

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91315

QUANTOFIX Ammonium

Page: 1/10

Printing date: 17.03.2017

Date of issue: 28.02.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 91315
Product name QUANTOFIX Ammonium

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 100 Test sticks Ammonium
2 x 30 mL NH₄⁺ -1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG
Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY
Tel.: +49 2421 969 0

E-mail: msds@mn-net.com

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

SECTION 2: Hazard identification

2.0 Classification of the complete product

Directive 1999/45/EC

Symbols



C

R

R 35

CLP Directive 1272/2008/EC

GHS pictograms



GHS05

Signal word

DANGER

Hazard identification

Hazard classes/categories

H290

Metal Corrosion cat. 1

H314

Skin Corrosion 1A. Serious Damage to Eyes 1

2.1 Classification of the substance or mixture

100 Test sticks Ammonium

Directive 1999/45/EC

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91315	QUANTOFIX Ammonium	Page: 2/10
Printing date: 17.03.2017	Date of issue: 28.02.2017	

Symbols -
do not need labelling as hazardous

CLP Directive 1272/2008/EC

GHS pictograms -
do not need labelling as hazardous

Signal word -

No hazard class

30 mL NH₄⁺ -1

Directive 1999/45/EC


Symbols R 35



C

CLP Directive 1272/2008/EC

GHS pictograms



GHS05

Signal word DANGER

Hazard identification	Hazard classes/categories
H290	Metal Corrosion cat. 1
H314	Skin Corrosion 1A. Serious Damage to Eyes 1

2.2 Label elements

According **CLP (GHS)** inner packages must be only labelled with symbol(s) and product identifier (EU 1272/2008 Annex I - 1.5.1.2).

100 Test sticks Ammonium

Directive 1999/45/EC
Symbols:
-

CLP Directive 1272/2008/EC
GHS pictograms:
do not need labelling as hazardous
Signal word: -

30 mL NH₄⁺ -1

Directive 1999/45/EC
Symbols:



C
R 35
Causes severe burns.

S 26-37/39-45

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91315	QUANTOFIX Ammonium	Page: 3/10
Printing date: 17.03.2017	Date of issue: 28.02.2017	

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

CLP Directive 1272/2008/EC
GHS pictograms:



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/...

2.3 Other hazards

Possible Hazards from physicochemical Properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive.

Information pertaining to particular Risks to Human and possible Symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs. Can accumulate within the body.

Information pertaining to particular Risks to the Environment

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

Other Hazards

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

100 Test sticks Ammonium

Chemical:	<i>potassium tetraiodomercurate(II)</i>	CAS No.:	7783-33-7
Concentration:	< 0,10 %	Correlation factor: x 0.26 (= %Hg)	
Formula:	K ₂ (HgI ₄)	Indice No.:	080-004-00-7
EC No.:	231-990-4-8		
RTECS:	OU9670000		
TSCA Inventory:	listed		
KE No.:	KE-12197, Toxic 97-1-140		
acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
Chemical:	<i>filter paper (cellulose CAS 9004-34-6)</i>	CAS No.:	-
Concentration:	1 - <10 %		
Formula:	(C ₆ H ₁₀ O ₅) _n		
REACH Reg. No.:	exempt, Annex IV		
EC No.:	232-674-9		
RTECS:	FJ5691460		
TSCA Inventory:	listed		
KE No.:	KE-05339		
acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91315

QUANTOFIX Ammonium

Page: 4/10

Printing date: 17.03.2017

Date of issue: 28.02.2017

Chemical: PVC foil (CAS 9002-86-2)
 Concentration: 95 - <100 %
 acc. 1999/45/EC: -

CAS No.: -

acc. CLP (GHS): not necessary

30 mL NH₄⁺ -1

Chemical: sodium hydroxide solution
 Concentration: 20 - <35 %
 Formula: NaOH·H₂O
 Pseudonym: soda lye
 REACH Reg. No.: 01-2119457892-27-xxxx
 EC No.: 215-185-5
 RTECS: WB4900000
 TSCA Inventory: listed
 KE No.: KE-31487
 acc. 1999/45/EC: R 35

CAS No.: 1310-73-2

Indice No.: 011-002-00-6

acc. CLP (GHS): H290, H314

3.3 Remarks

List of R, H and P phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove dust with wetted tissue. Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

Rub dust with teardrops from eyes or: After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of Vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. After inhalation of dust fresh air should be inhaled.

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

4.2 Most important symptoms and effects, both acute and delayed

Avoid inhalation of dust. Can accumulate within the body. ---

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE and international:

Tel.: +49 24 21 969-0

Fax: +49 24 21 969-199

E-mail: info@mn-net.com

CH:

Tel.: +41 62 388 55 00

Fax: +41 62 388 55 05

E-mail: sales-ch@mn-net.com

FR:

Tel.: +33 388 68 22 68

Fax: +33 388 51 76 88

E-mail: sales-fr@mn-net.com

US:

Tel.: +1 484 821 0984

Fax: +1 484 821 1272

E-mail: sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91315

QUANTOFIX Ammonium

Page: 5/10

Printing date: 17.03.2017

Date of issue: 28.02.2017

5.4 Additional Information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances. ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 8B
Water hazard class (DE): 3

7.2.1 Requirements for Stock Rooms and Containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

100 Test sticks Ammonium

Chemical: *potassium tetraiodomercurate(II)*

CAS No.: 7783-33-7

EU value: 0.02_{Hg} e mg/m³

TRGS 900 (DE): 0,02_{Hg} E mg/m³
E/e respirable

Short-term exposure factor: 8 (H), H, Sh
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m³

SUVA(CH) BAT value: Krea U/d 35 µg/L

TRGS 903 (DE): U/a 25_{Kreatinin} µg/L
B blood, U urine

NIOSH: Hg Vapor: TWA_{skin} 0.05; other 0.1 mg/m³

OSHA: TWA 0.1 mg/m³

Chemical: *filter paper (cellulose CAS 9004-34-6)*

CAS No.: -

TRGS 900 (DE): 1.25 A / 4 E mg/m³
E/e respirable

SUVA(CH) MAK value: 3 a mg/m³

NIOSH: not listed

OSHA: not listed

Chemical: *PVC foil (CAS 9002-86-2)*

CAS No.: -

30 mL NH₄⁺ -1

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91315

QUANTOFIX Ammonium

Page: 6/10

Printing date: 17.03.2017

Date of issue: 28.02.2017

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
 DNEL: 1_{inh} mg/m³
 DNEL = Derived No-Effect Level (for workers)
 TRGS 900 (DE): (2 E) mg/m³
 E/e respirable
 Short-term exposure factor: (=1=, Y)
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
 SUVA(CH) MAK value: 2 e mg/m³
 NIOSH: 2 mg/m³
 OSHA: TWA 2 mg/m³

8.2 Exposure controls

The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory Protection

No additional recommendations.

8.2.2 Hand Protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin Protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal Hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

100 Test sticks Ammonium

Appearance: solid Color: yellow Odor: odorless

30 mL NH₄⁺ -1

Appearance: liquid Color: colourless Odor: odorless
 pH: 14
 Specific gravity: 1,35 g/mL
 Solubility in water: 0-100 %

9.2 Other information

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Not necessary. ---

10.5 Incompatible materials

Avoid contact with concentrated acids and oxidizing agents. Avoid contact with strong acids or alkalines.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91315

QUANTOFIX Ammonium

Page: 7/10

Printing date: 17.03.2017

Date of issue: 28.02.2017

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

100 Test sticks Ammonium

Chemical: *potassium tetraiodomercurate(II)* CAS No.: 7783-33-7
 TSCA Inventory: listed California Proposition 65 List: listed developmental
 Exposure Routes: inhalation, skin absorption, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, central nervous system, kidneys
 Symptoms: irritation eyes, skin; cough, chest pain, dyspnea (breathing difficulty), bronchitis, pneumonitis; tremor, insomnia, irritability, indecision, headac
 Japan CSCL/PRTR: PRTR: ≥1,0%Hg class I
 Japan PDSCL: Poisonous substance Japan ISHL: listed ≥0,3%/≥0,1%
 Korea Exist.Chem.Inventory: KE-12197, Toxic 97-1-140
 LD50_{orl rat}: HgI₂ 18 mg/kg
 LC_{LoWorl hmn}: 357 mg/kg
 LD50_{drm rat}: 75 mg/kg

TRGS 907 (DE): Sh

Chemical: *filter paper (cellulose CAS 9004-34-6)* CAS No.: -
 TSCA Inventory: listed California Proposition 65 List: not listed
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: not listed
 Japan PDSCL: not listed Japan ISHL: not listed
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-05339
 LD50_{orl rat}: >5000 mg/kg
 LC50_{ihl rat}: >5800_{4h} mg/m³
 LD50_{drm rbt}: >2000 mg/kg

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -

30 mL NH₄⁺ -1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
 TSCA Inventory: listed California Proposition 65 List: not listed
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed
 Japan PDSCL: not listed Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-31487
 LD50_{orl rat}: 500_{100%} mg/kg
 LD50_{orl mus}: 40 mg/kg

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

100 Test sticks Ammonium

Chemical: *potassium tetraiodomercurate(II)* CAS No.: 7783-33-7
 Bio Toxicity: LC₅₀: 0.5HgCl₂/48h mg/L
 Water hazard class (DE): 3 WGK No.: n.n.
 Storage class (VCI): 6.1 B

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91315 QUANTOFIX Ammonium Page: 8/10
 Printing date: 17.03.2017 Date of issue: 28.02.2017

Chemical: *filter paper (cellulose CAS 9004-34-6)* CAS No.: -
 Water hazard class (DE): nwg
 Storage class (VCI): 11

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -

30 mL NH₄⁺ -1
 Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
 Avoid contact of substance/mixture to environment.
 LC50_{leuciscus idus/96h}: 35-189 mg/L
 LC50_{fish/96h}: 45.4 mg/L
 EC50_{daphnia/48h}: >100 mg/L
 Water hazard class (DE): 1 WGK No.: 142
 Storage class (VCI): 8 B

- 12.2 Persistence and degradability**
not necessary
- 12.3 Bioaccumulative potential**
not necessary
- 12.4 Mobility in soil**
not necessary
- 12.5 Results of PBT and vPvB assessment**
no data available
- 12.6 Other adverse effects**
no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

- 13.1 Waste treatment methods**
Empty containers of corrosive reagents prior to disposal, rinse with water.

SECTION 14: Transport information

14.1. UN number: 3316 **14.2. UN proper shipping name:** Chemical Kit
14.3. Class: 9 **14.4. Packing group:** II
Road transport
 Classification code: M11 Tunnel restriction code: E
 Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative transport labelling
Air transport
 PAX: 960 max. weight PAX: 10 KG
 CAO: 960 max. weight CAO: 10 KG
Maritime transport
 EmS: F-A, S-P Storage category: A

Alternative transport labelling follows:
 UN No.: (see below) class 8 II, **Excepted Quantities** (≤30 mL/Σ≤500 mL) = ADR/ IATA E2
 or

14.1 UN number: 3266 **14.2 UN proper shipping name:** Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution)
14.3 Class: 8 **14.4 Packing group:** II
Road transport
 Classification code: C5
 Limited Quantity: 1 L Tunnel restriction code: E
 Excepted Quantity: E 2
Air transport
 PAX: 851 max. weight PAX: 1 L
 CAO: 855 max. weight CAO: 30 L
Maritime transport
 EmS: F-A, S-B Storage category: B



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91315

QUANTOFIX Ammonium

Page: 9/10

Printing date: 17.03.2017

Date of issue: 28.02.2017

14.5 Environmental hazards

not necessary

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
 TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other Information

16.1 List of R, H and P phrases

16.1.1 List of relevant R phrases

R35 Causes severe burns.

16.1.2 List of relevant H phrases

H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

16.1.3 List of relevant P phrases

P260sh Do not breathe dust/vapours.
 P280sh Wear protective gloves/eye protection.
 P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor/...
 P390 Absorb spillage to prevent material damage.

16.2 Training Advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended Restriction on Use

Only for professional user.
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or DE §§ 4 und 5 MuSchRiv)!
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
 Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
 TRGS 900, German engineering rules governing limits in air at work, updated September 2016
 SUVA .CH, Limits in air at work 2009, revised on 01.2009
 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91315

QUANTOFIX Ammonium

Page: 10/10

Printing date: 17.03.2017

Date of issue: 28.02.2017

You find our current versions of MSDS in Internet:
<http://www.mn-net.com/MSDS>

